


aura  
design

Alessio 3


---

# Alessio 3

Technical information



# Alessio 3 A Leg Desk



H 740



L 1200; 1400; 1600; 1800  
W 700; 800



L 1200; 1400  
W 600



L 2400; 2800; 3200; 3600  
W 800



L 1200; 1400; 1600; 1800  
W 800



L 1200; 1400; 1600; 1800  
W 1440; 1640



L 2400; 2800; 3200; 3600  
W 1440; 1640



L 1200; 1400; 1600; 1800  
W 1440; 1640



L 1400; 1600; 1800  
W 1200



L 800  
W 600

Possibility to extend the length of the 2 or 4 desk bench by ordering supplementary units.  
We recommend to connect up to 6 back to back units.

## FEATURES

- Easy to assemble and disassemble - "metal to metal" construction
- Just one tool for assembling.

## TECHNICAL INFORMATION

### Desktop

- 25 mm MFC (melamine) with 2 mm ABS edging;
- 10 mm gap between the legs and the desktop;
- 40 mm gap between the desktops in back to back benches (depth of benches – 1440/1640).

### Metal beam

- Metal tube - 40x20 mm;
- With welded metal plates for leg fixing;
- Powder coated metal, colour matches the legs.

### Legs

- Welded metal tube - 40x40 mm;
- Powder coated metal;
- Plastic feet with height levelling (+10 mm).

### Desktop type



Plain desktop




Desktops with a scallop for wire management



Desktops with a cut-out for grommet and wire management

### Must be ordered

(for desktop with cut-out)



Metal grommet:  
317x119 mm,  
H=27 mm

### Optional




Power socket blocks



Cable trays




Cable clips



Cable ducts

# Alessio 3 Loop Leg Desk



H 740



L 1200; 1400; 1600; 1800  
W 700; 800



L 1200; 1400  
W 600



L 2400; 2800; 3200; 3600  
W 800



L 1200; 1400; 1600; 1800  
W 800



L 1200; 1400; 1600; 1800  
W 1440; 1640



L 1536; 1336  
W 595



L 2400; 2800; 3200; 3600  
W 1440; 1640



L 1200; 1400; 1600; 1800  
W 1440; 1640



L 1400; 1600; 1800  
W 1200



L 800  
W 600

Possibility to extend the length of the 2 or 4 desk bench by ordering supplementary units.  
We recommend to connect up to 6 back to back units.

## FEATURES

- Easy to assemble and disassemble - “metal to metal” construction
- Just one tool for assembling.

## TECHNICAL INFORMATION

### Desktop

- 25 mm MFC (melamine) with 2 mm ABS edging;
- 10 mm gap between the legs and the desktop;
- 40 mm gap between the desktops in back to back benches (depth of benches – 1440/1640).

### Metal beam

- Metal tube - 40x20 mm;
- With welded metal plates for leg fixing;
- Powder coated metal, colour matches the legs.

### Legs

- Welded metal tube - 40x40 mm;
- Powder coated metal;
- Plastic feet with height levelling (+10 mm).

### Desktop type



Plain desktop




Desktops with a scallop for wire management



Desktops with a cut-out for grommet and wire management

### Must be ordered

(for desktop with cut-out)



Metal grommet:  
317x119 mm,  
H=27 mm

### Optional



Power socket blocks



Cable trays




Cable clips



Cable ducts

# Alessio 3 U Leg Desk



H 740



L 1200; 1400; 1600; 1800  
W 700; 800



L 1200; 1400  
W 600



L 2400; 2800; 3200; 3600  
W 800



L 1200; 1400; 1600; 1800  
W 800



L 1200; 1400; 1600; 1800  
W 1440; 1640



L 2400; 2800; 3200; 3600  
W 1440; 1640



L 1200; 1400; 1600; 1800  
W 1440; 1640



L 1400; 1600; 1800  
W 1200



Ø 2810



L 800  
W 600



L 600  
W 800



L 1440; 1640  
W 600

Possibility to extend the length of the 2 or 4 desk bench by ordering supplementary units. We recommend to connect up to 6 back to back units.

## FEATURES

- Easy to assemble and disassemble - “metal to metal” construction
- Just one tool for assembling.

## TECHNICAL INFORMATION

### Desktop

- 25 mm MFC (melamine) with 2 mm ABS edging;
- 10 mm gap between the legs and the desktop;
- 40 mm gap between the desktops in back to back benches (depth of benches – 1440/1640).

### Metal beam

- Metal tube - 40x20 mm;
- With welded metal plates for leg fixing;
- Powder coated metal, colour matches the legs.

### Legs

- Welded metal tube - 40x40 mm;
- Powder coated metal;
- Plastic feet with height levelling (+10 mm).

### Desktop type



Plain desktop




Desktops with a scallop for wire management



Desktops with a cut-out for grommet and wire management

### Must be ordered

(for desktop with cut-out)



Metal grommet:  
317x119 mm,  
H=27 mm

### Optional



Power socket  
blocks



Cable trays



Cable clips



Cable ducts



# Alessio 3 / Colours

## Melamine

### ① Group


---



Whitened Oak (D1)



Amber Oak (D2)



White (M1)



Pearl Grey (N3)




Dark Grey (N1)




White with Amber  
Oak edge (M1D2)

### ② Group


---



Sand Ash (D3)



Dark Walnut (D4)



Grey Wood (D5)



Cubanit Grey (N2)




Black (J4)

## Metal

### ① Group

---



Black (A)



Grey (M)



White (E)



Dark Grey (T1)

# aura design



Hub Spaces, 582 Honeypot Lane, Stanmore, HA7 1JS, UK  
[www.auraadesign.co.uk](http://www.auraadesign.co.uk)  
020 3915 8008  
[info@auraadesign.co.uk](mailto:info@auraadesign.co.uk)