



www.auraadesign.co.uk

FUTURA

Desk



Futura


Futura

Futura is an expression of inimitable and timeless elegance enhanced by refined geometries and noble materials.




Futura SYNOPTIC GRID

h 75 cm




w 220-240 cm
d 100 cm

h 41,3 cm




w 140,6-160,6 cm
d 1,9 cm




w 121,3-141,3 cm
d 1,9 cm

h 47 cm




w 151,5-171,5 cm
d 1,9 cm





w 126,8-146,8 cm
d 1,9 cm

h 75 cm





w 120 cm
d 80 cm

h 54 cm



w 173,6 cm
d 56,2 cm




w 215,4 cm
d 56,2 cm


h 60,6 cm





w 44,5 cm
d 56,2 cm



w 133,3 cm
d 56,2 cm



w 175,2 cm
d 56,2 cm



w 216,9 cm
d 56,2 cm

h 160 cm



w 45 cm
d 45 cm

h 51 cm



w 60 cm
d 60 cm

h 40 cm




w 60 cm
d 60 cm



w 120 cm
d 60 cm

Futura TECHNICAL FEATURES





• MDF veneer tops:

made of MDF 30 mm. thickness, coated on both sides with wood veneer thickness. 0.6 mm. and edging strip with solid wood thickness. 1 mm. rounded with a radius of 2 mm. The surfaces have tapered and beveled perimeter. The painting is made with colored water and final transparent coat or lacquered open pore finish. The desk tops have the insertion of decorative rods in metal thickness. 3 mm, in chrome-plated. In these bars are housed, to the right and to the left, two extractable gaps shaped to allow the passage of electric cables and computer.

• Ceramic tops:


made of 10 mm thick tempered glass, chamfered at 45 ° with a 6mm thick ceramic sheet glued to it.




• Structure desks:

the legs are made of metal structure bonded to honeycomb panels veneered and varnished as the surface. The thickness is 60 mm, in the inner part, a channel with plates of inlet and outlet to allow passage cables is formed. Each leg has two leveling feet abs. The edges are finished with thick metal profiles. 3mm in polished chrome, which are connected to the cross-metal tube 60x25x2mm, these stringers are in chrome. With the desks hooked to the side part, 1 of the legs is replaced with a reduced leg and fixed to the top of the cabinet itself.

Futura CONSTRUCTION FEATURES




• Desks abacus



• Bridge desk on service cabinet:

desk that lays on a service unit. They can be mounted both on the right and on the left. Containers with different dimensions with no pre-holes on the top. The user can choose position of the desk to his liking.



• Desk with conversation top:

it is an additional module 80 cm deep and 120 cm long fixed frontally to the main desk by means of connection brackets.





 Cannot be used as a side return.

4. Futura **ACCESSORIES**




• Modesty panels:


are made of chipboard 18 mm veneered such as desk tops and are fixed to the transom by means of cylindrical metal support.



Futura **DESKTOP ELECTRIFICATION**




Desk top 1 port 5V USB charger+1
power cord USB W.200cm



Cables holder baskets
rolling and inspectionable

Pedestals and service side units • SYNOPTIC GRID





H: 60,6 cm



w 133,3 cm

d 56,2 cm

H: 54 cm



w 173,2 cm

d 56,2 cm

w 214,9 cm

d 56,2 cm

Service module / credenza storage units • TECHNICAL FEATURES




• Service module / credenza storage units:

structure made of 18 mm thick chipboard edged on 4 sides with melamine paper (weight 620 Kg per m³, class E1 with low formaldehyde emission, class 2 fire reaction according to ISO standards), equipped with Ø52 x h.18 mm feet with adjustable foot inside the furniture. All coatings are of wood, with 0.6 mm thick veneer on both sides. Fronts, doors 1,9cm thick, backs and tops 1,3cm thick, side panels 3,9cm thick are edged along the perimeter in 1 mm thick solid wood with 2 mm radius. The doors are fitted with anticorrosion treated hinges with an opening of 105° and soft slow closure, the locks are a cylindrical Yale type with chrome knob. The back finishing has the ventilation of the CPU holder. The handles are metal with chromed finish. The drawers, applied with metal guides, telescopic extraction and integrated soft closure, have are made of folded sheet metal with an 8/10 thickness and painted with epoxy powders. A stationary drawer is always supplied (apart from furniture without a lock), equipped with simple sliding extraction guides on small self-lubricating wheels. Appropriate drilling along the side edges allows the installation of optional accessories, such as horizontal separators. The furniture are positioned on 6 cm diameter swivel wheels, 2 of which with a brake; the filing cabinets have the 5th wheel with a function to prevent overturning. 33 and 39 cm files can be hung from the file hanger frame. The 12 mm thick top has a wood or ceramic veneer finish of 6mm with 12 mm melamine support. Some compositions are equipped with a technical module with CPU port and cable passage designed to hang under the desk to make maximum use of less accessible areas.

Pedestals and service side units • CONSTRUCTION FEATURES

• Internal measures




Pedestals and service side units • ACCESSORIES




- horizontal separator for metal drawer

Credenza • SYNOPTIC GRID


H: 74 cm



w 175,2 cm
d 56,2 cm



w 216,9 cm
d 56,2 cm




Credenza • TECHNICAL FEATURES

• Service module / credenza storage units:

structure made of 18 mm thick chipboard edged on 4 sides with melamine paper (weight 620 Kg per m³, class E1 with low formaldehyde emission, class 2 fire reaction according to ISO standards), equipped with Ø52 x h.18 mm feet with adjustable foot inside the furniture. All coatings are of wood, with 0.6 mm thick veneer on both sides. Fronts, doors 1,9cm thick, backs and tops 1,3cm thick, side panels 3,9cm thick are edged along the perimeter in 1 mm thick solid wood with 2 mm radius. The doors are fitted with anticorrosion treated hinges with an opening of 105° and soft slow closure, the locks are a cylindrical Yale type with chrome knob. The back finishing has the ventilation of the CPU holder. The handles are metal with chromed finish. The drawers, applied with metal guides, telescopic extraction and integrated soft closure, have are made of folded sheet metal with an 8/10 thickness and painted with epoxy powders. A stationary drawer is always supplied (apart from furniture without a lock), equipped with simple sliding extraction guides on small self-lubricating wheels. Appropriate drilling along the side edges allows the installation of optional accessories, such as horizontal separators. The furniture are positioned on 6 cm diameter swivel wheels, 2 of which with a brake; the filing cabinets have the 5th wheel with a function to prevent overturning. 33 and 39 cm files can be hung from the file hanger frame. The 12 mm thick top has a wood or ceramic veneer finish of 6mm with 12 mm melamine support. Some compositions are equipped with a technical module with CPU port and cable passage designed to hang under the desk to make maximum use of less accessible areas.


Credenza • CONSTRUCTION FEATURES




d. 46

W: 50 cm


h. 78,6








h. 155,4



h. 193,8



W: 100 cm



• **Pair of fastening sides Wood**

*with top: Side fastener is compulsory

| w | h | d |
|--------|-------------------|-------|
| 3,9 cm | 76,8/153,6/192 cm | 46 cm |

• **Top Wood**

| w | h | d |
|----------|--------|-------|
| 58÷308cm | 1,3 cm | 46 cm |

• Cabinets:

these are provided in 3 heights, 2 widths and 1 depth and externally finished with a modular top, wood thickness 13 mm, and a pair of side panels, with modular height, wood thickness 39 mm. The top overlaps on the side finish.

• Structure:


made from chipboard (weighing 620 Kg per cubic metre, class E1 classified with a low emission of formaldehyde, class 2 classified for reaction to fire according to ISO standards). It is faced with 18mm thick decorative paper with a black finish impregnated with melamine resins for sides, top and bottom; 12mm thick for the back and 25mm thick for fixed and adjustable interior shelves. The sides have double holes at intervals of 32mm that are suitable to accommodate interior fittings and the hinges of the doors. While levelling feet in black ABS having a diameter of 5 cm and a height of 1.8 cm are applied to the bottom panel. Quick assembly of the structure is possible by using special metal corrosion-resistant hardware. Suitable holes on the sides allow the use of telescopic fixing screws used to join the structures together.

• Veneer doors:

made of thick chipboard. mm. 18 coated on both sides with a veneer having 0.6 mm. thick and painted, such as desk tops. Along the outer sides have rounded edges in solid wood and varnished mm thick. 1 mm. radius. 2.

• Glass doors:

with perimeter frame made of extruded polished aluminum and thick tempered glass. 4 mm. The glass of the "frosted" have the outer surface in satin finish and varnished inner surface finishes such as color chart, the opening of the doors is through the power chromed knobs, on these doors you cannot mount the lock.



structural back panel 12 mm



rotating rod lock H. 200 W. 100



lock with removable cam



knob




door with duster




25 mm

shelf with support




110° slow-motion hinge for wooden doors




18 mm

levelling foot

d: 46 cm



- Possibility to file documents



- **Melamine shelf**
deforming evenly distributed under load

- **Melamine shelf**
deforming evenly distributed under load

- **Metal shelf**
deforming evenly distributed
under load

- **Metal shelf**
deforming evenly distributed
under load

- Side

w: 50 cm

49 Kg

1,5 mm

w: 50 cm

49 Kg

0,7 mm

w: 100 cm


98 Kg

3 mm

w: 100 cm

98 Kg

1,3 mm



Worktops, modesty panel, legs



• Veneer



• Shell



• Metal



Pedestals and service side units • FINISHES




2 • Melamine (shell only)



1 3 4 • Veneer



3 • Lacquered matt



5 Handle



5 • Metal



Credenza • FINISHES



- 1 TOP
- 2 SIDES, BACK
- 3 BASE, FRAME
- 4 DOORS
- 5 HANDLES
- 6 LEGS

• Ceramic glass

1 2 4 • Veneer



3 • Melamine




4 • Lacquered matt



5 Handles



5 6 • Metal





- 1 STRUCTURE
- 2 SHELVES
- 3 TOP AND SIDES
- 4 DOORS
- 4.1 GLASS DOOR WITH FRAME
- 5 HANDLES

1 2 • Melamine



3 4 • Veneer



4 • Lacquered matt




5 Handle



5 • Metal




4.1 GLASS DOOR WITH FRAME



• Metal (frame)



• Glass



aura design



Hub Spaces, 582 Honeypot Lane, Stanmore, HA7 1JS, UK
www.auraadesign.co.uk
020 3915 8008
info@auraadesign.co.uk