



www.auraadesign.co.uk

MINIMO

Storage Unit



Minimo Storage Unit

Minimo

Wide range of hinged doors cabinets in assorted finishes and supplemented with accessories.



Minimo SYNOPTIC GRID

d: 36-46 cm


w: 50 cm

w: 80 - 100 cm


h: 78,6 cm





h: 117 cm



h: 155,4 cm




h: 193,8 cm



h: 76,8 cm







h: 232,2 cm










h: 270,6 cm





Lockers



NO d: 46 cm





• **Pair of fastening sides A**
Melamine (Laminate)/matt lacquered
 *compulsory for bookcases up to h.155,4 cm


w h d

A. 1,2 cm 78,1÷270,1 cm 36-46 cm

• **Top A**
Melamine (Laminate)/matt lacquered

w h d

A. 50÷300 cm 1,2 cm 36-46 cm



• **Pair of fastening sides B Wood**
 *with top: Side fastener is compulsory



w h d

B. 1,3 cm 76,8÷192 cm 46 cm

• **Top B Legno**

w h d

B. 52,7÷302,7 cm 1,3 cm 1,3 cm



• **Pair of fastening sides C Glossy acrylic**
 *compulsory for bookcases up to h.155,4 cm

w h d

C. 1,8 cm 78,7÷193,9 cm 46 cm

• **Top C Glossy acrylic**

w h d

C. 50÷300 cm 1,8 cm 46 cm

The cabinet programme is composed of a range of items suitable for the most varied filing requirements. The modules are developed in 2 depths: 36 cm divided into 6 heights and 2 widths, and 46 cm divided into 6 heights and 3 widths.

Structure: Made from chipboard (weighing 620 Kg per cubic metre, class E1 classified with a low emission of formaldehyde, class 2 classified for reaction to fire according to ISO standards). It is faced with 18mm thick decorative paper with an aluminium, white or black finish impregnated with melamine resins for sides, top and bottom; 12mm thick for the back and 25mm thick for fixed and adjustable interior shelves. The sides have double holes at intervals of 32mm that are suitable to accommodate interior fittings and the hinges of the doors. While levelling feet in black ABS having a diameter of 5 cm and a height of 4.4 cm are applied to the bottom panel. Quick assembly of the structure is possible by using special metal corrosion-resistant hardware. Suitable holes on the sides allow the use of telescopic fixing screws used to join the structures together.

Melamine doors: Made from 18 mm thick chipboard with melamine finish. They are edged along the perimeter with 1mm thick, 2mm radius rounded ABS edge, 105° opening angle hinges and the handles are in abs.

Glossy acrylic doors: made of 18 mm-thick chipboard coated with shiny acrylic white or black 90 gloss material. Along the perimeter they are finished with rounded and painted solid wood edges; 1 mm-thick, 2 mm. radius. The hinges connecting to the structure are in anticorrosion-treated metal; they are easily adjustable and equipped with a soft, speed-reducing system and a 105° soft opening. Handles are in chrome-plated ABS; the locks, where envisaged, are cylindrical Yale type, with chrome-plated grip.

Veneer doors – matt lacquered doors: made from 18mm thick chipboard veneered on both sides with 0.6mm thick veneer, dyed and varnished using polyester-type varnishes that are oven-dried using an uv-type method. They are edged along the perimeter with 1mm thick, 2mm radius rounded solid wood and then varnished. The hinges that connect the door to the structure are in corrosion-resistant metal, are easy to adjust and have a 105° opening angle. The handles are in aluminium-coloured abs. the locks, where applicable, are cylindrical yale type with an articulated key grip. Doors, tops and closing side panels are available in a lacquered version in various colours, through the application of closed pore and anti-glare polyurethane paint (<40 gloss), oven dried with hot air.

VG or CK glass doors: are in 5mm thick grey tempered glass with Yale-type locks.

Glass doors with AF or BW or NF or KR frame: 4mm thick opaque or coloured tempered glass doors with a frame along the perimeter in extruded anodized aluminium, white or black or polished. Locks and 170° opening angle hinges are not available on the latter.

Pullout frames: made of formed steel sheets varnished with epoxy powders. They are fitted on triple-extension metal roller runners. They can accommodate 33 and 39 cm hanging files. If used by themselves, cabinets with pullout frames must be fixed to the wall for safety reasons.

Melamine or lacquered tops and end panels: Made from 12 mm thick chipboard with melamine finish. Along the perimeter they are finished with rounded and painted solid wood edges; 1 mm-thick, 2 mm. radius. They're compulsory for heights of 78,6-117 and 155,4cm. They are available in a lacquered version in various colours, through the application of closed pore and anti-glare polyurethane paint (<40 gloss), oven dried with hot air.


Glossy acrylic tops and sides: made of 18 mm-thick chipboard coated with shiny acrylic white or black 90 gloss material. Along the perimeter they are finished with rounded and painted solid wood edges; 1 mm-thick, 2 mm. radius. They're compulsory for heights of 78,6 and 155,4.

Veneer tops and end panels: cabinets can be fitted with tops that are sold per metre length, compulsory for heights of 78,6-117 and 155,4. They are made of 12 mm thick chipboard, veneered on both sides with 0.6mm thick wood veneer and edged along the perimeter with 1mm thick, 2mm radius, solid wood. The panels are dyed and then varnished on both sides using polyester-type varnishes dried in ovens using the uv method.

Finishing backs: on request our furniture can be equipped with back panel without surface treatments fitted on the rear with 18mm thick finishing backs to match the doors and edged along the perimeter with 1mm thick solid wood or ABS with a 2mm radius.

NB: THE VOLUMES OF THE CABINETS ARE INTENDED IN CUBIC METRES AND FOR NON-ASSEMBLED FURNITURE.

Minimo: combinable with Minimo, they are made of melamine th. 12 mm, with the bottom of 18 mm, edged with 1 mm thick ABS edge, 2 mm radius, equipped with Ø52 x h.18mm adjustable feet from inside the cabinet.




structural back panel
12 mm



rotating rod lock h. 200/240/280 x
w.80/100 and h.240/280 x w.50



lock with removable cam




pair of foldable keys




door with duster



shelf with support



door with levelling hinge



levelling foot



lockers lock



Minimo detail

d: 36 cm

d: 46 cm

- **Possibility to file documents**

- **Melamine shelf**
deforming evenly distributed under load

- **Metal shelf**
deforming evenly distributed
under load

- Side

w: 50 cm

49 Kg 1,5 mm

w: 50 cm

w: 80 cm


77 Kg 2,5 mm

w: 80 cm

w: 100 cm


98 Kg 3 mm

w: 100 cm





Minimo CONSTRUCTION FEATURES

• Schiena di finitura



• Esempi di componibilità




Minimo ACCESSORIES



riloga
appendiabiti



barra di rinforzo
per ripiano fisso e mobile
in melaminico



d: 46 cm

ripiano metallico
porta cartelle



d: 46 cm

w: 50 cm

f frigorifero
da incasso - 30 l



porta rifiuti




schiena di finitura
(18 mm)

Minimo ACCESSORIES



d: 46 cm

bottom for files
frame



d: 46 cm

pull-out frame for folders



metal files bar for
melamine shelf



w: 80-100 cm

w: 50 cm

w: 80-100 cm

w: 50 cm

w: 80-100 cm


w: 80-100 cm



170° opening hinges
(not for glass doors)




slow-motion kit for 110° hinge (not
for wooden doors)



110° slow-motion hinge for
wooden doors

Minimo FINISHES



- 1 STRUCTURE
- 2 SHELVES
- 3 TOP AND SIDES
- 4 DOORS
- 4.1 GLASS DOOR WITH FRAME
- 4.2 GLASS DOOR WITHOUT FRAME
- 5 HANDLES
- 5.1 HANDLES

1 2 • Melamine




• Metal



4 3 • Melamine



4 5 3 • Lacquered matt




4 5 3 • Wood



4 3 • Glossy acrylic




4.1 GLASS DOOR WITH STANDARD FRAME



• Glass



• Metal (frame)




5 • Metal




5.1 • Metal



5 • Plastic



5 • Lacquered matt




5 • Wood






• Melamine



• Lacquered matt



aura design



Hub Spaces, 582 Honeypot Lane, Stanmore, HA7 1JS, UK
www.auraadesign.co.uk
020 3915 8008
info@auraadesign.co.uk