


auraa
design

SILVANA
RECEPTION





SILVANA

The Silvana reception counters combine a work surface and a reception top.

Used individually or associated with other units to create a reception assembly, they adapt to the required specifications. **Silvana** associates different wood finishes : from front to work surface, from side panels to reception shelf. Easy to install and use, **Silvana** creates a friendly atmosphere for employees and visitors alike.





SILVANA

CHARACTERISTICS



Front panel and side MFC finishes



Leg, top and infill MFC finishes

Top

25 mm thick Structurex® melamine-coated panels. 2 mm thick shock-proof ABS edging.

Side

Infill panel

Facing made of 38 mm thick Nitech® honeycomb melamine-coated panel, assembled with 45° mitre cut serving as reception shelf for visitors.

DDA(1)

Leg

25 mm thick Structurex® melamine-coated panels.

Front

25 mm thick Structurex® melamine-coated panels.

3 versions

ex : right hand DDA(1)



White leg, top and infill panel finish






Wood leg, top and infill panel finish



One-tone finish

TECHNICAL DESCRIPTION

- 25 mm thick Structurex® melamine-coated panels. 2 mm thick shock-proof ABS edging.
- Facing made of 38 mm thick Nitech® honeycomb melamine-coated panel, assembled with 45° mitre cut serving as reception shelf for visitors.
- Cutouts on the worktop and the front to feed cables from the worktop down to the floor.
- Finishing pads.



(1) DDA = Disability Discrimination Act

aura design



Hub Spaces, 582 Honeypot Lane, Stanmore, HA7 1JS, UK
www.auraadesign.co.uk
020 3915 8008
info@auraadesign.co.uk