auraa design



Tranquil Nook Workstation Booth

Tranquil Nook

Product options

VARIATIONS

Booth 1 Booth 2 Booth 3

Booth Extension

Back to back options

WORKSURFACE OPTIONS

43mm 25mm 25mm with 12mm Chamfer

HEIGHT OPTIONS

1800mm

WIDTH OPTIONS

1000mm 1200mm

UPHOLSTERY

Can be upholstered in a broad range of upholstery fabrics, from our upholstery collection. Please visit our price list for further information.

ACCESSORIES

Various cable management options are available. including worksurface mounted cable travs, fabric cable risers and internal cable management options within the panels for seamless integration of cables'. Please visit our price list for further information.



TABLE TOP FINISHES

White W 1000

Light grey U708

Oak 1929

> Anthracite U164

Walnut H3704

> Black U190

White + Ply

(White W1000 board with 3D effect plywood edging)

TRIM FINISHES

Silver

White

Black

Introducing the Tranquil Nook - an innovative acoustic booth designed for optimal focus in the modern workplace. Elevate your productivity with this modular office work booth, crafted to provide a private and acoustically enhanced space for undisturbed work. With customisable configurations to suit your preferences and integrated technology features, Tranquil Nook seamlessly accommodates your IT needs.

Illuminate your workspace with reading lights, stay connected with advanced data connectivity, and experience the ideal work retreat with Tranquil Nook where productivity meets professionalism.



Tecnical specifications

WEIGHT

Booth 1, H: 1350mm, W: 1000mm, D: 825mm: 62 Kg.


Booth 3, H: 1800mm, W: 1000mm, D: 825mm: 106 Kg.

Other variations on request

TEST

BS EN ISO 354:2003 (Acoustic – Measurement of sound absorption in a rever- beration room)

Acoustic Panel Composition



(1) UPHOLSTERY

Foam backed fabric

(2) PERFORATED FACE BOARD

High Tranquil Nooksity fibreboard

(3) OUTER FRAME

Softwood

(4) ACOUSTIC CORE


Sound absorbing acoustic material




Dimensions and Power unit placement

BOOTHS WIDTH 1000 MM:


Workstation Booth 1, D: 825 mm




Workstation Booth 2, D: 825 mm



Workstation Booth 3, D: 825 mm




Workstation Booth Extension, D: 825 mm







Workstation Booth 1, D: 1225 mm




Workstation Booth 2, D: 1225 mm



Workstation Booth 3, D: 1225 mm



Workstation Booth Extension, D: 1225 mm







Workstation Booth 1, D: 825 mm Panel Power unit placement



Workstation Booth 2, D: 825 mm Panel Power unit placement



Workstation Booth 3, D: 825 mm Panel Power unit placement




Workstation Booth Extension, D: 825 mm Panel Power unit placement






BOOTHS WIDTH 1200 MM:

Workstation Booth 1, D: 825 mm




Workstation Booth 1, D: 1225 mm




Workstation Booth 1, D: 825 mm Panel Power unit placement




Workstation Booth 2, D: 825 mm



Workstation Booth 2, D: 1225 mm



Workstation Booth 2, D: 825 mm Panel Power unit placement




Workstation Booth 3, D: 825 mm




Workstation Booth 3, D: 1225 mm




Workstation Booth 3, D: 825 mm Panel Power unit placement




Workstation Booth Extension, D: 825 mm



Workstation Booth Extension, D: 1225 mm




Workstation Booth Extension, D: 825 mm Panel Power unit placement












Workstation Booth 2 back-to-back, D: 825 mm




Workstation Booth 2 back-to-back, D: 1225 mm




Workstation Booth 2 back-to-back Panel Power unit placement




Workstation Booth 4 back-to-back, D: 825 mm




Workstation Booth 4 back-to-back, D: 1225 mm




Workstation Booth 4 back-to-back Panel Power unit placement




Workstation Booth 6 back-to-back, D: 825 mm




Workstation Booth 6 back-to-back, D: 1225 mm




Workstation Booth 6 back-to-back, Panel Power unit placement




Workstation Booth back-to-back Extension, D: 825 mm



Workstation Booth back-to-back Extension, D: 1225 mm




Workstation Booth back-toback Extension Panel Power unit placement











BOOTHS BACK-TO-BACK 1200 MM:


Workstation Booth 2 back-to-back, D: 825 mm




Workstation Booth 4 back-to-back, D: 825 mm



Workstation Booth 6 back-to-back, D: 825 mm




Workstation Booth back-to-back Extension, D: 825 mm







Workstation Booth 2 back-to-back, D: 1225 mm




Workstation Booth 4 back-to-back, D: 1225 mm



Workstation Booth 6 back-to-back, D: 1225 mm



Workstation Booth back-to-back Extension, D: 1225 mm







Workstation Booth 2 backto-back Panel Power unit placement




Workstation Booth 4 backto-back Panel Power unit placement




Workstation Booth 6 backto-back, Panel Power unit placement



Workstation Booth back-toback Extension Panel Power unit placement





design







