



www.auraadesign.co.uk

YAHYA

Breakout Area Table




Yahya

Yahya


Yahya is characterized by large worktops designed for common areas. The worktops in an aged oak finish with a textured effect make the rooms easier and more communicative.




H: 75 cm




w 160÷200 cm
d 100 cm




w 136÷240 cm
d 124 - 164 cm



w 260-276 cm
d 124 - 164 cm



w 220÷276 cm
d 100 cm




w 180÷276 cm
d 124 - 164 cm

H: 75 cm



w 120-136-160 cm

H: 46 cm




w 60-120 cm
d 60 cm




w 68-136 cm
d 36 cm

H: 3 cm




w 80-120 cm
d 25 cm



• Melamine top:




made of 30 mm chipboard panels covered with decorative melamine resin-impregnated paper (620 kg/cu.m density, class E1 material with low formaldehyde emissions, in compliance with ISO Standards, reaction to fire class 2) and edged with 1 mm rounded ABS solid wood. The tops are coupled with reinforced nylon clips, placed along the structure telescopic beams through self-taping screws and metric screws on metal bushings inserted underneath the top.



• Beams:

the legs are connected by a pair of telescopic or fixed beams made with 40 x 40 mm square section drawn tubes. At the ends of the beams are inserted the hooking elements to the portal legs in transparent abs; the extension of the telescopic beams varies from 800 to 1000 mm. - from 1000 to 1200 mm. from 1200 to 1800 mm. - from 1800 to 2400 mm.

Yahya TECHNICAL FEATURES




• Structure:

Stand legs made of epoxy coated stainless steel tubing, installed as follows:

- Upper beam made from a 70x30 mm, 1,5 mm-thick drawn steel tube;
- Legs, 70x20 mm, are angled at about 9 degrees and are 1,5 mm thick.


Methacrylate ABS shoes with 1cm levelled feet on the lower section, for desk height of 750mm. The leg vertical sections are coated with 96x46 mm melamine wood obtained with folding technology. The meeting desk intermediate legs are fitted for internal cable fitting.

Yahya CONSTRUCTION FEATURES



• Desks Index :


d. 80/100 desks take a double beam.




• Bench abacus:

bench and meeting tables take 2 double beams.

• Screens



Yahya **DESKTOP ELECTRIFICATION**



1

Ø 8 cm


Square grommet plug



2

Ø 8 cm

Round cable grommet



3

Ø 8 cm

Versapad
n.1 USB "A", n.1 USB "C"
n.1 electric socket



4

Ø 8 cm


Wireless charger



5

26X11,6 cm

Plastic top access



6

35X10 cm


Top access aluminum



6.1

35X10 cm

Socket block for
n.1 USB "A", n.1 USB "C"
n.3 electrical sockets



7

26,2X12,3 cm


Double-sided top
access



8



Ø 35 cm

USB charger
n.2 USB




9

Socket door block
n.1 USB "A", n.1 USB "C"
n.2 electrical sockets



1

Cable tray in chrome




2

Chrome cable tray for bench



3

Cable tray metal sheet



4

Cable tray metal sheet




5

Fabric cable vertebra



6


Intermediate leg cover



7

Cable vertebra

STRUCTURE



• Metal



LEVELLING FOOT


• Plastic



• Melamine




TOPS, SCREENS *



• Melamine




• Lacquered matt (only screens)




• Fabric (screens only)


MIRAGE




NEMI MELANGE



FENICE



CONVERT MEL 4000



aura design



Hub Spaces, 582 Honeypot Lane, Stanmore, HA7 1JS, UK
www.auraadesign.co.uk
020 3915 8008
info@auraadesign.co.uk